

CMJ BROTHERS
15340 ALLEN ST
PARAMOUNT CA 90723
MATERIAL SAFETY DATA SHEET
VERSION 1116

SECTION I. PRODUCT IDENTIFICATION

CMJ BROTHERS
PARAMOUNT CA

TEL: 714-501-3593

EMERGENCY ASSISTANCE: 800-424-9300

PRODUCT NAME: CAR LUBE AND RACE GROUP PLUS DEXRON TRANSMISSION FLUID.

SECTION II. PRODUCT COMPONENTS

COMPONENT	CAS NUMBER	PERCENTAGE
ZINC COMPOUND	84605-29-8	.5-1%
PETROLEUM PARAFINIC	64742-54-7	76-81%
VI AND ADDITIVES	PROPRIETARY	19-24%

SECTION III. PRECAUTIONS FOR STORAGE AND SAFE HANDLING

HANDLING: USE WITH ADEQUATE VENTILATION. AVOID BREATHING VAPORS AND MIST. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. WASH THOROUGHLY WITH SOAP AND WATER. DECONTAMINATE SOILED CLOTHING THOROUGHLY BEFORE RE-USE.
STORAGE: DO NOT STORE WITH INCOMPATIBLE MATERIALS.

SECTION IV. PHYSICAL DATA

APPEARANCE: AMBER VISCOUS LIQUID
ODOR: PETROLEUM
PHYSICAL STATE: LIQUID
VAPOR PRESSURE: NEGLIGIBLE
VAPOR DENSITY: HEAVIER THAN AIR
SOLUBILITY IN WATER: NIL
SPECIFIC GRAVITY: .852
VISCOSITY: 5.9cSt @100° C
EVAPORATION RATE: NOT DETERMINED

SECTION V. CURRENT HEALTH EFFECTS AND FIRST AID OPTIONS

EYES: MAY CAUSE EYE IRRITATION. IN CASE OF CONTACT FLUSH EYES WITH WATER. SEEK MEDICAL ATTENTION.

SKIN: MAY CAUSE SKIN IRRITATION. WASH SKIN WITH PLENTY OF SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND SHOES. SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS OR PERSISTS.

INHALATION: HIGH VAPOR CONCENTRATIONS ARE IRRITATING TO EYES, NOSE, THROAT AND LUNGS. REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION AND CONTACT A PHYSICIAN IMMEDIATELY.

INGESTION: MAY BE HARMFUL IF SWALLOWED. DO NOT INDUCE VOMITING. DRINK 16 OUNCES OF WATER AND SEEK IMMEDIATE MEDICAL ATTENTION.

SECTION VI. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

COC FLASH POINT: > 358° F

AUTOIGNITION TEMPERATURE: N/A

FLAMMABLE LIMITS IN AIR LEL:

N/A

UEL : N/A

EXTINGUISHING MEDIA:

CARBON DIOXIDE, FOAM, OR DRY POWDER. DO NOT USE WATER, BECAUSE THIS PRODUCT IS OIL BASED. WATER MAY CAUSE FROTHING.

FIRE AND EXPLOSION HAZARDS:

CAN BURN IN FIRE, RELEASING TOXIC VAPORS, FUMES AND SMOKE.

FIRE AND EXPLOSION HAZARDS:

CAN BURN IN FIRE RELEASING TOXIC VAPORS FUMES AND SMOKE.

FIRE FIGHTING INSTRUCTIONS:

WEAR SELF CONTAINED BREATHING APPARATUS MSHA/NIOSH AND FULL PROTECTIVE GEAR.

COMBUSTION PRODUCTS:

HAZARDOUS DECOMPOSITION PRODUCTS ARE OXIDES OF CARBON, NITROGEN, INCLUDING CO AND CO₂.

SECTION VII. ACCIDENTAL RELEASE MEASURES

SAFEGUARDS:

ELIMINATE ALL SOURCES OF IGNITION

INITIAL CONTAINMENT:

ABSORB SPILLS WITH INERT MATERIAL. DO NOT ALLOW MATERIALS TO ENTER INTO SOIL OR SURFACE WATER.

LARGE SPILL PROCDEDURES:

ABSORB SPILL WITH INERT MATERIAL. PLACE THE ABSORBED MATERIAL INOT A CHEMICAL WASTE CONTAINER.

MISCELLANEOUS: TREAT OR DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REQUIREMENTS.

SECTION VIII. HANDLING AND STORAGE

HANDLING:

DO NOT PRESSURIZE CUT, WELD, BRAZER, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY OR OTHER SOURCES OF IGNITION.

HANDLING MISCELLANEOUS:

SECURE CONTAINER AFTER EACH USE. STORE IN COOL DRY PLACE. AVOID CONTACT WITH STRONG OXIDIZERS.

SECTION IX. EXPOSURE CONTROLS

ENGINEERING CONTROLS:

LOCAL EXHAUST VENTILATION MAY BE NECESSARY.

EYE AND FACE PROTECTION REQUIREMENTS:

CHEMICAL GOGGLES AND OR FACE SHIELD IS RECOMMENDED.

SKIN PROTECTION REQUIREMENTS:

WEAR CHEMICAL RESISTANT GLOVES.

RESPIRATORY PROTECTION:

UNDER NORMAL CONDITIONS NO SPECIAL HANDLING IS REQUIRED. IF MISTS ARE PRODUCED VENTILATION IS RECOMMENDED. AVOID CONTACT WITH STRONG OXIDIZERS.

EXPOSURE GUIDELINES:

NO INFORMATION AVAILABLE.

SECTION X. PHYSICAL AND CHEMICAL PROPERTIES

FORM.....LIQUID
COLOR.....AMBER
ODOR.....PETROLEUM
VAPOR DENSITY.....HEAVIER THAN AIR (AIR = 1)
SOLUBILITY IN WATER.....NONE
SPECIFIC GRAVITY.....0.852 (WATER = 1)
PH.....NOT APPLICABLE
VISCOSITY.....5.9cSt@100° C

SECTION XI. STABILITY AND REACTIVITY

STABILITY:
STABLE

POLYMERIZATION:
NO POLYMERIZATION WILL OCCUR

INCOMPATIBILITY WITH OTHER MATERIALS:
AVOID CONTACT WITH STRONG OXIDIZERS

DECOMPOSITION:
IN CASE OF FIRE OXIDES OF CARBON AND ZINC, HYDROCARBONS,
FUMES, AND SMOKE
MAY BE PRODUCED. HYDROGEN SULFIDE AND ALKYL MERCAPTANS AND
SULFIDES MAY ALSO BE RELEASED.

SECTION XII. TOXICOLOGICAL AND ECOLOGICAL INFORMATION

ACUTE TOXICITY: NOT CLASSIFIED
LD50 AND LC50 DATA: NA
SKIN CORROSION/IRRITATION: NOT CLASSIFIED
EYE DAMAGE/ IRRITATION: NOT CLASSIFIED
RESPIRATORY AND SKIN SENSITIZATION: NOT CLASSIFIED
CARCINOGENICITY: NOT CLASSIFIED
SPECIFIC ORGAN TOXICITY: NOT CLASSIFIED
REPRODUCTIVE TOXICITY: NOT CLASSIFIED

PARRAFIN OIL 8012-95-1: LC50 INHALATION RAT 2062 ppm/4H
ATE US GASES 2062 ppmV/4H
HEAVY PARRAFINIC DISTILLATE 64742-54-7: LD50 ORAL RAT >2000mg/kg
LD50 DERMAL RABBIT >2g/kg
PETROLEUM NAPHTHENIC 64742-65-0: LD50 ORAL RAT 5000mg/kg
DERMAL RABBIT >5g/kg

SECTION XIII. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:
AVOID DISPOSAL INTO WASTE WATER TREATMENT FACILITY. TREAT OR
DISPOSE OF WASTE MATERIAL IN ACCORDANCE WITH ALL LOCAL
STATE, AND NATIONAL FEDERAL REQUIREMENTS.

MISCELLANEOUS:
THIS PRODUCT IF DISCARDED IS NOT CONSIDERED A
HAZARDOUS WASTE.

SECTION XIV. TRANSPORTATION INFORMATION

PRODUCT LABEL: CAR LUBE AND RACE GROUP PLUS DEXRON VI AND MERCON LV
TRANSMISSION FLUID

DOT SHIPPING NAME: NOT REGULATED.

REGULATORY INFORMATION:
LISTS SEARCHED

1. CANADIAN DISCLOSURE LIST
2. CERCLA
3. TITLE V OF THE CLEAN AIR ACT
4. SARA TITLE III
5. SC TOXIC AIR POLLUTANTS
6. CA PROPOSITION 65
7. RCRA

++++
THIS INFORMATION IS FURNISHED WITHOUT WARRANTY EXPRESSED
OR IMPLIED, EXCEPT THAT IT IS ACCURATE TO THE BEST KNOWLEDGE
OF CMJ BROTHERS CORPORATION ASSUMES NO LEGAL
RESPONSIBILITY FOR USE OF RELIANCE UPON THESE DATA.
++++